



7290B Investment Drive North Charleston, South Carolina 29417  
Phone: 866.272.0932 Fax: 866.509.5146 www.o2si.com



ISO 17025 Accredited Chemical Testing Lab  
Cert. No. 3031.01

Date Received: \_\_\_\_\_

# Certificate of Analysis

Rev 0

Page 1 of 1

<b>Catalog No.:</b> 020497-01	<b>Lot No.:</b> 359895	<b>Storage:</b> ≤ -10 Degrees C	<b>Solvent:</b> P/T Methanol	<b>Exp. Date:</b> 29-Oct-2020	<b>Description:</b> N,N-Dimethylaniline Solution, 2,000 mg/L, 1 ml
-------------------------------	------------------------	---------------------------------	------------------------------	-------------------------------	--

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration
N,N-dimethylaniline	121-69-7	99	497.1.1P	2039 ± 14.78 mg/L

Certified By: \_\_\_\_\_

Kayla Coleman

Manufacture Date 30-Oct-2018

Follow all storage requirements, keep tightly closed when not in use, and use good laboratory practices when handling. This Reference Material was manufactured, produced, and/or certified under a quality management system that is accredited to ISO 17034 and ISO/IEC 17025.

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.

The stated uncertainty is the expanded uncertainty with a coverage factor of two to give a 95% confidence level.