



7290B Investment Drive North Charleston, South Carolina 29417
Phone: 866.272.0932 Fax: 866.509.5146 www.o2si.com



ISO 17025 Accredited Chemical Testing Lab
Cert. No. 3031.01

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
031859-09	349614	-18°C +/- 4°C	Acetone	5-Jul-2020	Carbendazim Solution, 10 mg/L, 1 ml

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration
carbendazim	10605-21-7	99	1859.286.1.1P	9.9 ± .18 mg/L

Amanda Frazier

Certified By: _____

Amanda Frazier

Manufacture Date 6-Jul-2018

Follow all storage requirements, keep tightly closed when not in use, and use good laboratory practices when handling. This Reference Material was manufactured, produced, and/or certified under a quality management system that is accredited to ISO 17034 and ISO/IEC 17025.

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically. The stated uncertainty is the expanded uncertainty with a coverage factor of two to give a 95% confidence level.